


HK[®]
living

CLUB COUCH

Product fact sheet



Club couch

4-seater

Overall dimensions (L*W*H):

274x108x72cm

Back cushions:

2 cushions

Armrest height:

67cm

Seat height:

45cm

Seat depth:

66cm

Seating width:

219cm

FABRIC SPECIFICATIONS


Royal velvet / Velvet / Linen blend / Linen shadow

Club couch

Royal velvet

Fabric group:

D (Royal)



Colours:

Green
Magnolia

Fabric covering

specifications:

Composition faceside:	100% PES
Composition backing:	N/A
Coating:	Needle punch
Material weight:	518 g/lm
Tariff No.:	58013600
Abrasion resistance (EN ISO 12947 1 & 2):	40000 cycles, Martindale
Pilling resistance (EN ISO 12945-2):	Class 4/5
Lightfastness (EN ISO B02):	Class 4/5

Filling and body:


Body:	Wood fiber board, pinewood, hardwood, hardboard
Seat suspension:	Nosag springs + polypropylene 70 g/m2
Seat filling:	HR 3032 foam covered with dacron cotton wool 150 g/m2
Back filling:	HR 3032 foam covered with dacron cotton wool 150 g/m2. Seperate back cushions: mix of silicone fibers and P40 (polypropylene).
Legs:	Black plastic

Club couch

Velvet

Fabric group:

D (Velvet)



Colours:

Mustard
Mint

Fabric covering

specifications:

Composition faceside:	100% Polyester
Composition backing:	N/A
Coating:	Needle punch
Material weight:	470 g/lm
Tariff No.:	58013600
Abrasion resistance (EN ISO 12947 1 & 2):	80000 cycles, Martindale
Pilling resistance (EN ISO 12945-2):	Class 4/5
Lightfastness (EN ISO B02):	Class 4/5

Filling and body:

Body:	Wood fiber board, pinewood, hardwood, hardboard
Seat suspension:	Nosag springs + polypropylene 70 g/m2
Seat filling:	HR 3032 foam covered with dacron cotton wool 150 g/m2
Back filling:	HR 3032 foam covered with dacron cotton wool 150 g/m2. Seperate back cushions: mix of silicone fibers and P40 (polypropylene).
Legs:	Black plastic

Club couch

Linen blend

Fabric group:

C (Linen blend)



Colours:

Taupe

Fabric covering

specifications:

Composition faceside:	60%Cotton 40%Linen
Composition backing:	N/A
Material weight:	532 g/lm
Tariff No.:	52122310
Abrasion resistance (EN ISO 12947 1 & 2):	24000 cycles, Martindale
Pilling resistance (EN ISO 12945-2):	Class 4-5
Lightfastness (EN ISO B02):	Class 5

Filling and body:

Body:	Wood fiber board, pinewood, hardwood, hardboard
Seat suspension:	Nosag springs + polypropylene 70 g/m2
Seat filling:	HR 3032 foam covered with dacron cotton wool 150 g/m2
Back filling:	HR 3032 foam covered with dacron cotton wool 150 g/m2. Seperate back cushions: mix of silicone fibers and P40 (polypropylene).
Legs:	Black plastic

Wash instruction:

Remove non-greasy stains by carefully dabbing with a lint-free cloth or sponge wrung out in clean warm water. If necessary, clean by dabbing with soapy water with a little dish soap. Finally, dab the surface with clean water. Avoid contact with sharp objects.

FABRIC SPECIFICATIONS

Royal velvet / Velvet / Linen blend / Linen shadow

Club couch

Linen shadow

Fabric group:

D (Linen shadow)



Colours:

Brown

Fabric covering

specifications:

Composition faceside:	63%CO 37% LI
Composition backing:	N/A
Coating:	N/A
Material weight:	532 g/lm
Tariff No.:	52122310
Abrasion resistance [EN ISO 12947 1 & 2]:	32500 cycles, Martindale
Pilling resistance [EN ISO 12945-2]:	Class 4
Lightfastness [EN ISO B02]:	Class 4/5

Filling and body:

Body:	Wood fiber board, pinewood, hardwood, hardboard
Seat suspension:	Nosag springs + polypropylene 70 g/m2
Seat filling:	HR 3032 foam covered with dacron cotton wool 150 g/m2
Back filling:	HR 3032 foam covered with dacron cotton wool 150 g/m2. Seperate back cushions: mix of silicone fibers and P40 (polypropylene).
Legs:	Black plastic

Wash instruction:


Remove non-greasy stains by carefully dabbing with a lint-free cloth or sponge wrung out in clean warm water. If necessary, clean by dabbing with soapy water with a little dish soap. Finally, dab the surface with clean water. Avoid contact with sharp objects.

JAX COUCH


Product fact sheet




Connecting parts






Hook Pin



Left corner Right corner



Left end Right end



Jax couch

Element hocker

Overall dimensions (L/D*W*H):
97x94x43cm

Combination options:
In any composition and sequence

Armrest height:
N/A

Seat height:
43cm

Seat depth:
97cm

Jax couch

Element hocker small

Overall dimensions (L/D*W*H):
97x47x43cm

Combination options:
In any composition and sequence

Armrest height:
N/A

Seat height:
43cm

Seat depth:
97cm

Jax couch

Element corner left en right

Overall dimensions (L/D*W*H):
94x94x74cm

Combination options:
In any composition and sequence

Armrest height:
74cm

Seat height:
43cm

Seat depth:
63cm

Jax couch

Element end left en right

Overall dimensions (L/D*W*H):
97x94x74cm

Combination options:
In any composition and sequence

Armrest height:
74cm

Seat height:
43cm

Seat depth:
65cm

Jax couch

Element middle

Overall dimensions (L/D*W*H):
97x87x74cm

Combination options:
In any composition and sequence

Armrest height:
N/A

Seat height:
43cm

Seat depth:
65cm

Jax couch

Element angle

Overall dimensions (L/D*W*H):
97x97x74cm

Combination options:
In any composition and sequence

Armrest height:
N/A

Seat height:
43cm

Seat depth:
65cm

Jax couch

Element round

Overall dimensions (L/D*W*H):
97x150x74cm

Combination options:
In any composition and sequence

Armrest height:
N/A




Seat height:
43cm

Seat depth:
65cm

* The maximum weight capacity per seat is 120kg.



JAX COUCH

Combinations of elements




Jax couch
**Element end
left and right**

seat depth
65




Jax couch
**Element corner
left and right**


seat depth
63




Jax couch
Element middle




Jax couch
Element hocker







Jax couch
Element angle



Jax couch
Element round



Jax couch
Element small hocker



FABRIC SPECIFICATIONS

Cosy / Sneak / Ted / Linen blend / Linen shadow / Royal velvet / Velvet / Boucle / Velvet juke

Jax couch

Cosy

Fabric group:

A (Cosy)



Colours:

Beige

Fabric covering

specifications:

Product group:	Polyester Polypropyleen flatweave
Composition faceside:	61% PES 39% PP
Composition backing:	N/A
Coating:	Needle punch
Material weight:	440 g/lm
Tariff No.:	54077300
Abrasion resistance (EN ISO 12947 1 & 2):	50000 cycles, Martindale
Pilling resistance (EN ISO 12945-2):	Class 5, 2000 Rubs
Lightfastness (EN ISO B02):	Class 4/5

Filling and body:

Body:	Wood fiber board, pinewood, hardwood, hardboard
Seat suspension:	Nosag springs
Seat filling:	HR 3032 foam + SG25 foam covered with dacron cotton wool 150 g/m2
Back filling:	SG1818 foam
Legs:	Black plastic

Jax couch

Ted

Fabric group:

B (Ted)



Colours:

Stone

Fabric covering

specifications:

Composition faceside:	100% Polyester
Composition backing:	N/A
Coating:	Needle punch
Material weight:	518 g/lm
Tariff No.:	58013600
Abrasion resistance (EN ISO 12947 1 & 2):	40000 cycles, Martindale
Pilling resistance (EN ISO 12945-2):	Class 4
Lightfastness (EN ISO B02):	Class 5

Filling and body:

Body:	Wood fiber board, pinewood, hardwood, hardboard
Seat suspension:	Nosag springs
Seat filling:	HR 3032 foam + SG25 foam covered with dacron cotton wool 150 g/m2
Back filling:	SG1818 foam
Legs:	Black plastic

Jax couch

Sneak

Fabric group:

B (Sneak)



Colours:

Light grey

Fabric covering

specifications:

Product group:	Chenille flatweave
Composition faceside:	100% PES
Composition backing:	N/A
Coating:	Needle punch
Material weight:	518 g/lm
Tariff No.:	58013600
Abrasion resistance (EN ISO 12947 1 & 2):	38000 cycles, Martindale
Pilling resistance (EN ISO 12945-2):	Class 5, 2000 Rubs
Lightfastness (EN ISO B02):	Class 4/5

Filling and body:

Body:	Wood fiber board, pinewood, hardwood, hardboard
Seat suspension:	Nosag springs
Seat filling:	HR 3032 foam + SG25 foam covered with dacron cotton wool 150 g/m2
Back filling:	SG1818 foam
Legs:	Black plastic

Wash instruction:

Remove non-greasy stains by carefully dabbing with a lint-free cloth or sponge wrung out in clean warm water. If necessary, clean by dabbing with soapy water with a little dish soap. Finally, dab the surface with clean water. Avoid contact with sharp objects.

FABRIC SPECIFICATIONS

Cosy / Sneak / Ted / Linen blend / Linen shadow / Royal velvet / Velvet / Boucle / Velvet juke

Jax couch

Boucle

Fabric group:

B (Boucle)



Colours:

Taupe
Cream

Fabric covering specifications:

Composition faceside:	95% PE, 5% PA
Composition backing:	N/A
Coating:	N/A
Material weight:	600 g/lm
Tariff No.:	512110000
Abrasion resistance (EN ISO 12947 1 & 2):	100000 cycles, Martindale
Pilling resistance (EN ISO 12945-2):	Class 4
Lightfastness (EN ISO B02):	Class 5

Filling and body:

Body:	Wood fiber board, pinewood, hardwood, hardboard
Seat suspension:	Nosag springs
Seat filling:	HR 3032 foam + SG25 foam covered with dacron cotton wool 150 g/m2
Back filling:	SG1818 foam
Legs:	Black plastic

Jax couch

Linen shadow

Fabric group:

D (Linen shadow)



Colours:

Brown

Fabric covering specifications:

Composition faceside:	63%CO 37% LI
Composition backing:	N/A
Coating:	N/A
Material weight:	532 g/lm
Tariff No.:	52122310
Abrasion resistance (EN ISO 12947 1 & 2):	32500 cycles, Martindale
Pilling resistance (EN ISO 12945-2):	Class 4
Lightfastness (EN ISO B02):	Class 4/5

Filling and body:

Body:	Wood fiber board, pinewood, hardwood, hardboard
Seat suspension:	Nosag springs
Seat filling:	HR 3032 foam + SG25 foam covered with dacron cotton wool 150 g/m2
Back filling:	SG1818 foam
Legs:	Black plastic

Jax couch

Linen blend

Fabric group:

C (Linen blend)



Colours:

Taupe

Fabric covering specifications:

Composition faceside:	60%Cotton 40%Linen
Composition backing:	N/A
Material weight:	532 g/lm
Tariff No.:	52122310
Abrasion resistance (EN ISO 12947 1 & 2):	24000 cycles, Martindale
Pilling resistance (EN ISO 12945-2):	Class 4-5
Lightfastness (EN ISO B02):	Class 5

Filling and body:

Body:	Wood fiber board, pinewood, hardwood, hardboard
Seat suspension:	Nosag springs
Seat filling:	HR 3032 foam + SG25 foam covered with dacron cotton wool 150 g/m2
Back filling:	SG1818 foam
Legs:	Black plastic

Wash instruction:

Remove non-greasy stains by carefully dabbing with a lint-free cloth or sponge wrung out in clean warm water. If necessary, clean by dabbing with soapy water with a little dish soap. Finally, dab the surface with clean water. Avoid contact with sharp objects.

FABRIC SPECIFICATIONS

Cosy / Sneak / Ted / Linen blend / Linen shadow / Royal velvet / Velvet / Boucle / Velvet juke

Jax couch

Velvet Juke

Fabric group:

B (Juke)



Colours:

Ochre

Fabric covering

specifications:

Product group:	Polyester velvet knitted
Composition faceside:	100% PES
Composition backing:	90% PES 10% CO
Bonding:	T/C
Material weight:	560 g/lm
Tariff No.:	60019200
Abrasion resistance (EN ISO 12947 1 & 2):	100.000 cycles, Martindale
Pilling resistance (EN ISO 12945-2):	Class 5, 2000 Rubs
Lightfastness (EN ISO B02):	Class 4/5

Filling and body:

Body:	Wood fiber board, pinewood, hardwood, hardboard
Seat suspension:	Nosag springs
Seat filling:	HR 3032 foam + SG25 foam covered with dacron cotton wool 150 g/m2
Back filling:	SG1818 foam
Legs:	Black plastic

Jax couch

Royal velvet

Fabric group:

D (Royal)



Colours:

Magnolia
Green

Fabric covering

specifications:

Composition faceside:	100% PES
Composition backing:	N/A
Coating:	Needle punch
Material weight:	518 g/lm
Tariff No.:	58013600
Abrasion resistance (EN ISO 12947 1 & 2):	40000 cycles, Martindale
Pilling resistance (EN ISO 12945-2):	Class 4/5
Lightfastness (EN ISO B02):	Class 4/5

Filling and body:


Body:	Wood fiber board, pinewood, hardwood, hardboard
Seat suspension:	Nosag springs
Seat filling:	HR 3032 foam + SG25 foam covered with dacron cotton wool 150 g/m2
Back filling:	SG1818 foam
Legs:	Black plastic

Jax couch

Velvet

Fabric group:

D (Velvet)



Colours:

Mustard
Mint

Fabric covering

specifications:

Composition faceside:	100% Polyester
Composition backing:	N/A
Coating:	Needle punch
Material weight:	470 g/lm
Tariff No.:	58013600
Abrasion resistance (EN ISO 12947 1 & 2):	80000 cycles, Martindale
Pilling resistance (EN ISO 12945-2):	Class 4/5
Lightfastness (EN ISO B02):	Class 4/5

Filling and body:





Body:	Wood fiber board, pinewood, hardwood, hardboard
Seat suspension:	Nosag springs
Seat filling:	HR 3032 foam + SG25 foam covered with dacron cotton wool 150 g/m2
Back filling:	SG1818 foam
Legs:	Black plastic

Wash instruction:

Remove non-greasy stains by carefully dabbing with a lint-free cloth or sponge wrung out in clean warm water. If necessary, clean by dabbing with soapy water with a little dish soap. Finally, dab the surface with clean water. Avoid contact with sharp objects.

RETRO SOFA

Product fact sheet



Retro sofa

4-seater

Overall dimensions (L*W*H):

245x95x83cm

Seat cushions:

3 cushions, 70x63cm

Armrest height:

50cm

Seat height:

46cm

Seat depth:

63cm

Legs:

23cm

Retro sofa

3-seater

Overall dimensions (L*W*H):

225x95x83cm

Seat cushions:

3 cushions, 63x63cm

Armrest height:

50cm

Seat height:

46cm

Seat depth:

63cm

Legs:

23cm

Retro sofa

2-seater

Overall dimensions (L*W*H):

175x95x83cm

Seat cushions:

2 cushions, 70x63cm

Armrest height:

50cm

Seat height:

46cm

Seat depth:

63cm

Legs:

23cm

Retro sofa

Hocker

Overall dimensions (L*W*H):

72x63x46cm

Seat cushions:

1 cushion, 63x63cm

Armrest height:

N/A

Seat height:

N/A

Seat depth:

N/A

Legs:

23cm

* The maximum weight capacity per seat is 120kg.

FABRIC SPECIFICATIONS

Corduroy rib / Cosy / Corduroy velvet / Sneak / Ted / Linen blend / Linen shadow / Royal velvet / Velvet / Boucle / Velvet juke

Retro sofa

Cosy

Fabric group:

A (Cosy)



Colours:

Beige

Fabric covering

specifications:

Product group:	Polyester Polypropyleen flatweave
Composition faceside:	61% PES 39% PP
Composition backing:	N/A
Coating:	Needle punch
Material weight:	440 g/lm
Tariff No.:	54077300
Abrasion resistance (EN ISO 12947 1 & 2):	50000 cycles, Martindale
Pilling resistance (EN ISO 12945-2):	Class 5, 2000 Rubs
Lightfastness (EN ISO B02):	Class 4/5

Filling and body:

Body:	Wood fiber board, hardwood, hardboard
Seat suspension:	Nosag springs
Seat filling:	HR 3032 foam + feathers & lazy foam flakes mix
Back filling:	Mix of feathers & lazy foam flakes
Legs:	Black powder coated metal

Retro sofa

Ted

Fabric group:

B (Ted)



Colours:

Stone

Fabric covering

specifications:

Composition faceside:	100% Polyester
Composition backing:	N/A
Coating:	Needle punch
Material weight:	518 g/lm
Tariff No.:	58013600
Abrasion resistance (EN ISO 12947 1 & 2):	40000 cycles, Martindale
Pilling resistance (EN ISO 12945-2):	Class 4
Lightfastness (EN ISO B02):	Class 5

Filling and body:

Body:	Wood fiber board, hardwood, hardboard
Seat suspension:	Nosag springs
Seat filling:	HR 3032 foam + feathers & lazy foam flakes mix
Back filling:	Mix of feathers & lazy foam flakes
Legs:	Black powder coated metal

Retro sofa

Sneak

Fabric group:

B (Sneak)



Colours:

Light grey

Fabric covering

specifications:

Product group:	Chenille flatweave
Composition faceside:	100% PES
Composition backing:	N/A
Coating:	Needle punch
Material weight:	518 g/lm
Tariff No.:	58013600
Abrasion resistance (EN ISO 12947 1 & 2):	38000 cycles, Martindale
Pilling resistance (EN ISO 12945-2):	Class 5, 2000 Rubs
Lightfastness (EN ISO B02):	Class 4/5

Filling and body:

Body:	Wood fiber board, hardwood, hardboard
Seat suspension:	Nosag springs
Seat filling:	HR 3032 foam + feathers & lazy foam flakes mix
Back filling:	Mix of feathers & lazy foam flakes
Legs:	Black powder coated metal

Wash instruction:

Remove non-greasy stains by carefully dabbing with a lint-free cloth or sponge wrung out in clean warm water. If necessary, clean by dabbing with soapy water with a little dish soap. Finally, dab the surface with clean water. Avoid contact with sharp objects.

FABRIC SPECIFICATIONS

Corduroy rib / Cosy / Corduroy velvet / Sneak / Ted / Linen blend / Linen shadow / Royal velvet / Velvet / Boucle / Velvet juke

Retro sofa

Boucle

Fabric group:

B (Boucle)



Colours:

Taupe
Cream

Fabric covering specifications:

Composition faceside:	95% PE, 5% PA
Composition backing:	N/A
Coating:	N/A
Material weight:	600 g/lm
Tariff No.:	512110000
Abrasion resistance (EN ISO 12947 1 & 2):	100000 cycles, Martindale
Pilling resistance (EN ISO 12945-2):	Class 4
Lightfastness (EN ISO B02):	Class 5

Filling and body:

Body:	Wood fiber board, hardwood, hardboard
Seat suspension:	Nosag springs
Seat filling:	HR 3032 foam + feathers & lazy foam flakes mix
Back filling:	Mix of feathers & lazy foam flakes
Legs:	Black powder coated metal

Retro sofa

Linen shadow

Fabric group:

D (Linen shadow)



Colours:

Brown

Fabric covering specifications:

Composition faceside:	63%CO 37% LI
Composition backing:	N/A
Coating:	N/A
Material weight:	532 g/lm
Tariff No.:	52122310
Abrasion resistance (EN ISO 12947 1 & 2):	32500 cycles, Martindale
Pilling resistance (EN ISO 12945-2):	Class 4
Lightfastness (EN ISO B02):	Class 4/5

Filling and body:

Body:	Wood fiber board, hardwood, hardboard
Seat suspension:	Nosag springs
Seat filling:	HR 3032 foam + feathers & lazy foam flakes mix
Back filling:	Mix of feathers & lazy foam flakes
Legs:	Black powder coated metal

Retro sofa

Linen blend

Fabric group:

C (Linen blend)



Colours:

Taupe

Fabric covering specifications:

Composition faceside:	60%Cotton 40%Linen
Composition backing:	N/A
Material weight:	532 g/lm
Tariff No.:	52122310
Abrasion resistance (EN ISO 12947 1 & 2):	24000 cycles, Martindale
Pilling resistance (EN ISO 12945-2):	Class 4-5
Lightfastness (EN ISO B02):	Class 5

Filling and body:

Body:	Wood fiber board, hardwood, hardboard
Seat suspension:	Nosag springs
Seat filling:	HR 3032 foam + feathers & lazy foam flakes mix
Back filling:	Mix of feathers & lazy foam flakes
Legs:	Black powder coated metal

Wash instruction:

Remove non-greasy stains by carefully dabbing with a lint-free cloth or sponge wrung out in clean warm water. If necessary, clean by dabbing with soapy water with a little dish soap. Finally, dab the surface with clean water. Avoid contact with sharp objects.

FABRIC SPECIFICATIONS

Corduroy rib / Cosy / Corduroy velvet / Sneak / Ted / Linen blend / Linen shadow / Royal velvet / Velvet / Boucle / Velvet juke

Retro sofa

Velvet Juke

Fabric group:

B (Juke)



Colours:

Ochre

Fabric covering

specifications:

Product group:	Polyester velvet knitted
Composition faceside:	100% PES
Composition backing:	90% PES 10% CO
Bonding:	T/C
Material weight:	560 g/lm
Tariff No.:	60019200
Abrasion resistance (EN ISO 12947 1 & 2):	100.000 cycles, Martindale
Pilling resistance (EN ISO 12945-2):	Class 5, 2000 Rubs
Lightfastness (EN ISO B02):	Class 4/5

Filling and body:

Body:	Wood fiber board, hardwood, hardboard
Seat suspension:	Nosag springs
Seat filling:	HR 3032 foam + feathers & lazy foam flakes mix
Back filling:	Mix of feathers & lazy foam flakes
Legs:	Black powder coated metal

Retro sofa

Royal velvet

Fabric group:

D (Royal)



Colours:

Magnolia
Green

Fabric covering

specifications:

Composition faceside:	100% PES
Composition backing:	N/A
Coating:	Needle punch
Material weight:	518 g/lm
Tariff No.:	58013600
Abrasion resistance (EN ISO 12947 1 & 2):	40000 cycles, Martindale
Pilling resistance (EN ISO 12945-2):	Class 4/5
Lightfastness (EN ISO B02):	Class 4/5

Filling and body:


Body:	Wood fiber board, hardwood, hardboard
Seat suspension:	Nosag springs
Seat filling:	HR 3032 foam + feathers & lazy foam flakes mix
Back filling:	Mix of feathers & lazy foam flakes
Legs:	Black powder coated metal

Retro sofa

Velvet

Fabric group:

D (Velvet)



Colours:

Mustard
Mint

Fabric covering

specifications:

Composition faceside:	100% Polyester
Composition backing:	N/A
Coating:	Needle punch
Material weight:	470 g/lm
Tariff No.:	58013600
Abrasion resistance (EN ISO 12947 1 & 2):	80000 cycles, Martindale
Pilling resistance (EN ISO 12945-2):	Class 4/5
Lightfastness (EN ISO B02):	Class 4/5

Filling and body:

Body:	Wood fiber board, hardwood, hardboard
Seat suspension:	Nosag springs
Seat filling:	HR 3032 foam + feathers & lazy foam flakes mix
Back filling:	Mix of feathers & lazy foam flakes
Legs:	Black powder coated metal

Wash instruction:

Remove non-greasy stains by carefully dabbing with a lint-free cloth or sponge wrung out in clean warm water. If necessary, clean by dabbing with soapy water with a little dish soap. Finally, dab the surface with clean water. Avoid contact with sharp objects.

FABRIC SPECIFICATIONS


Corduroy rib / Cosy / Corduroy velvet / Sneak / Ted / Linen blend / Linen shadow / Royal velvet / Velvet / Boucle / Velvet juke

Retro sofa

Corduroy rib

Fabric group:

A (Wave)



Colours:

Cream
Brown

Fabric covering

specifications:

Covering composition: 92% Polyester 8% Nylon
Bonding: Pes/Pa
Material weight: 300 g/lm
Tariff No.: 8501320000
Abrasion resistance
(EN ISO 12947 1 & 2): 40.000 cycles, Martindale
Pilling resistance
(EN ISO 12945-2): Class 4, 2000 Rubs
Lightfastness
(EN ISO B02): Class 4

Filling and body:

Body: Wood fiber board, hardwood,
hardboard
Seat suspension: Nosag springs
Seat filling: HR 3032 foam + feathers & lazy foam
flakes mix
Back filling: Mix of feathers & lazy foam flakes
Legs: Black powder coated metal

Retro sofa

Corduroy velvet

Fabric group:

B (Corduroy rib velvet)



Colours:

Aged gold

Fabric covering

specifications:

Covering composition: 100% Polyester
Bonding: T/C
Material weight: 580 g/lm
Tariff No.: 60053700
Abrasion resistance
(EN ISO 12947 1 & 2): 55.000 cycles, Martindale
Pilling resistance
(EN ISO 12945-2): Class 5, 2000 Rubs
Lightfastness
(EN ISO B02): Class 4/5

Filling and body:

Body: Wood fiber board, hardwood,
hardboard
Seat suspension: Nosag springs
Seat filling: HR 3032 foam + feathers & lazy foam
flakes mix
Back filling: Mix of feathers & lazy foam flakes
Legs: Black powder coated metal

Wash instruction:

Remove non-greasy stains by carefully dabbing with a lint-free cloth or sponge wrung out in clean warm water. If necessary, clean by dabbing with soapy water with a little dish soap. Finally, dab the surface with clean water. Avoid contact with sharp objects.

VINT COUCH

Product fact sheet








Connecting parts



Hook



Pin



Vint couch

Element left

Overall dimensions (L/D*W*H):

97x94x74cm

Combination options:

Only as a left corner, in any sequence

Armrest height:

74cm

Seat height:

43cm

Seat depth:

65cm

Vint couch

Element right

Overall dimensions (L/D*W*H):

97x94x74cm

Combination options:

Only as a right corner, in any sequence

Armrest height:

74cm

Seat height:

43cm

Seat depth:

65cm

Vint couch

Element middle

Overall dimensions (L/D*W*H):

97x87x74cm

Combination options:

In any composition and sequence

Armrest height:

N/A

Seat height:

43cm

Seat depth:

65cm

Vint couch

Element hocker

Overall dimensions (L/D*W*H):

97x94x43cm

Combination options:

In any composition and sequence

Armrest height:

N/A

Seat height:

43cm

Seat depth:

94cm

Vint couch

Element hocker small

Overall dimensions (L/D*W*H):

97x47x43cm

Combination options:

In any composition and sequence

Armrest height:

N/A

Seat height:

43cm

Seat depth:

94cm

* The maximum weight capacity per seat is 120kg.

VINT COUCH


Product fact sheet



Connecting parts



Hook Pin



Vint couch

Element loveseat

Overall dimensions (L/D*W*H):

97x148x74cm

Armrest height:






74cm

Seat height:

43cm

Seat depth:

65cm



Vint couch

Element left 1,5 seat

Overall dimensions (L/D*W*H):

97x118x74cm

Combination options:

Only as a left corner, in any sequence

Armrest height:

74cm

Seat height:

43cm

Seat depth:

65cm

Vint couch

Element right 1,5 seat

Overall dimensions (L/D*W*H):

97x118x74cm

Combination options:

Only as a right corner, in any sequence

Armrest height:

74cm

Seat height:

43cm

Seat depth:

65cm

Vint couch

Element middle 1,5 seat

Overall dimensions (L/D*W*H):

97x104x74cm

Combination options:

In any composition and sequence

Armrest height:

N/A

Seat height:

43cm

Seat depth:

65cm

Vint couch

Element left divan

Overall dimensions (L/D*W*H):

160x118x74cm

Combination options:

In any composition and sequence

Armrest height:

74cm

Seat height:

43cm

Seat depth:

128cm

Vint couch

Element right divan

Overall dimensions (L/D*W*H):

160x118x74cm

Combination options:

In any composition and sequence

Armrest height:

74cm

Seat height:

43cm



Seat depth:

128cm


* The maximum weight capacity per seat is 120kg.

VINT COUCH


Combine your couch - inspiration




Vint couch
Element left




Vint couch
Element right




Vint couch
Element middle




Vint couch
Element hocker




Vint couch
Element hocker small




Vint couch
Element left 1,5 seat




Vint couch
Element right 1,5 seat




Vint couch
Element middle 1,5 seat







Vint couch
Element divan left



Vint couch
Element divan right



Vint couch
Element loveseat



FABRIC SPECIFICATIONS

Corduroy rib / Cosy / Corduroy velvet / Sneak / Ted / Linen blend / Linen shadow / Royal velvet / Velvet / Boucle / Velvet juke

Vint couch

Cosy

Fabric group:

A (Cosy)



Colours:

Beige

Fabric covering

specifications:

Product group:	Polyester Polypropyleen flatweave
Composition faceside:	61% PES 39% PP
Composition backing:	N/A
Coating:	Needle punch
Material weight:	440 g/lm
Tariff No.:	54077300
Abrasion resistance (EN ISO 12947 1 & 2):	50000 cyles, Martindale
Pilling resistance (EN ISO 12945-2):	Class 5, 2000 Rubs
Lightfastness (EN ISO B02):	Class 4/5

Filling and body:

Body:	Wood fiber board, pinewood, hardwood, hardboard
Seat suspension:	Nosag springs
Seat filling:	HR 3032 foam + SG25 foam covered with dacron cotton wool 150 g/m2
Back filling:	SG1818 foam
Legs:	Black plastic

Vint couch

Ted

Fabric group:

B (Ted)



Colours:

Stone

Fabric covering

specifications:

Composition faceside:	100% Polyester
Composition backing:	N/A
Coating:	Needle punch
Material weight:	518 g/lm
Tariff No.:	58013600
Abrasion resistance (EN ISO 12947 1 & 2):	40000 cyles, Martindale
Pilling resistance (EN ISO 12945-2):	Class 4
Lightfastness (EN ISO B02):	Class 5

Filling and body:

Body:	Wood fiber board, pinewood, hardwood, hardboard
Seat suspension:	Nosag springs
Seat filling:	HR 3032 foam + SG25 foam covered with dacron cotton wool 150 g/m2
Back filling:	SG1818 foam
Legs:	Black plastic

Vint couch

Sneak

Fabric group:

B (Sneak)



Colours:

Light grey

Fabric covering

specifications:

Product group:	Chenille flatweave
Composition faceside:	100% PES
Composition backing:	N/A
Coating:	Needle punch
Material weight:	518 g/lm
Tariff No.:	58013600
Abrasion resistance (EN ISO 12947 1 & 2):	38000 cyles, Martindale
Pilling resistance (EN ISO 12945-2):	Class 5, 2000 Rubs
Lightfastness (EN ISO B02):	Class 4/5

Filling and body:

Body:	Wood fiber board, pinewood, hardwood, hardboard
Seat suspension:	Nosag springs
Seat filling:	HR 3032 foam + SG25 foam covered with dacron cotton wool 150 g/m2
Back filling:	SG1818 foam
Legs:	Black plastic

Wash instruction:

Remove non-greasy stains by carefully dabbing with a lint-free cloth or sponge wrung out in clean warm water. If necessary, clean by dabbing with soapy water with a little dish soap. Finally, dab the surface with clean water. Avoid contact with sharp objects.

FABRIC SPECIFICATIONS

Corduroy rib / Cosy / Corduroy velvet / Sneak / Ted / Linen blend / Linen shadow / Royal velvet / Velvet / Boucle / Velvet juke

Vint couch

Boucle

Fabric group:

B (Boucle)



Colours:

Taupe
Cream

Fabric covering specifications:

Composition faceside:	95% PE, 5% PA
Composition backing:	N/A
Coating:	N/A
Material weight:	600 g/lm
Tariff No.:	512110000
Abrasion resistance (EN ISO 12947 1 & 2):	100000 cycles, Martindale
Pilling resistance (EN ISO 12945-2):	Class 4
Lightfastness (EN ISO B02):	Class 5

Filling and body:

Filling and body:

Body:	Wood fiber board, pinewood, hardwood, hardboard
Seat suspension:	Nosag springs
Seat filling:	HR 3032 foam + SG25 foam covered with dacron cotton wool 150 g/m2
Back filling:	SG1818 foam
Legs:	Black plastic

Vint couch

Linen shadow

Fabric group:

D (Linen shadow)



Colours:

Brown

Fabric covering specifications:

Composition faceside:	63%CO 37% LI
Composition backing:	N/A
Coating:	N/A
Material weight:	532 g/lm
Tariff No.:	52122310
Abrasion resistance (EN ISO 12947 1 & 2):	32500 cycles, Martindale
Pilling resistance (EN ISO 12945-2):	Class 4
Lightfastness (EN ISO B02):	Class 4/5

Filling and body:

Filling and body:

Body:	Wood fiber board, pinewood, hardwood, hardboard
Seat suspension:	Nosag springs
Seat filling:	HR 3032 foam + SG25 foam covered with dacron cotton wool 150 g/m2
Back filling:	SG1818 foam
Legs:	Black plastic

Vint couch

Linen blend

Fabric group:

C (Linen blend)



Colours:

Taupe

Fabric covering specifications:

Composition faceside:	60%Cotton 40%Linen
Composition backing:	N/A
Material weight:	532 g/lm
Tariff No.:	52122310
Abrasion resistance (EN ISO 12947 1 & 2):	24000 cycles, Martindale
Pilling resistance (EN ISO 12945-2):	Class 4-5
Lightfastness (EN ISO B02):	Class 5

Filling and body:

Filling and body:

Body:	Wood fiber board, pinewood, hardwood, hardboard
Seat suspension:	Nosag springs
Seat filling:	HR 3032 foam + SG25 foam covered with dacron cotton wool 150 g/m2
Back filling:	SG1818 foam
Legs:	Black plastic

Wash instruction:

Remove non-greasy stains by carefully dabbing with a lint-free cloth or sponge wrung out in clean warm water. If necessary, clean by dabbing with soapy water with a little dish soap. Finally, dab the surface with clean water. Avoid contact with sharp objects.

FABRIC SPECIFICATIONS

Corduroy rib / Cosy / Corduroy velvet / Sneak / Ted / Linen blend / Linen shadow / Royal velvet / Velvet / Boucle / Velvet juke

Vint couch

Velvet Juke

Fabric group:

B (Juke)



Colours:

Ochre

Fabric covering

specifications:

Product group:	Polyester velvet knitted
Composition faceside:	100% PES
Composition backing:	90% PES 10% CO
Bonding:	T/C
Material weight:	560 g/lm
Tariff No.:	60019200
Abrasion resistance (EN ISO 12947 1 & 2):	100.000 cycles, Martindale
Pilling resistance (EN ISO 12945-2):	Class 5, 2000 Rubs
Lightfastness (EN ISO B02):	Class 4/5

Filling and body:

Body:	Wood fiber board, pinewood, hardwood, hardboard
Seat suspension:	Nosag springs
Seat filling:	HR 3032 foam + SG25 foam covered with dacron cotton wool 150 g/m2
Back filling:	SG1818 foam
Legs:	Black plastic

Vint couch

Royal velvet

Fabric group:

D (Royal)



Colours:

Magnolia
Green

Fabric covering

specifications:

Composition faceside:	100% PES
Composition backing:	N/A
Coating:	Needle punch
Material weight:	518 g/lm
Tariff No.:	58013600
Abrasion resistance (EN ISO 12947 1 & 2):	40000 cycles, Martindale
Pilling resistance (EN ISO 12945-2):	Class 4/5
Lightfastness (EN ISO B02):	Class 4/5

Filling and body:


Body:	Wood fiber board, pinewood, hardwood, hardboard
Seat suspension:	Nosag springs
Seat filling:	HR 3032 foam + SG25 foam covered with dacron cotton wool 150 g/m2
Back filling:	SG1818 foam
Legs:	Black plastic

Vint couch

Velvet

Fabric group:

D (Velvet)



Colours:

Mustard
Mint

Fabric covering

specifications:

Composition faceside:	100% Polyester
Composition backing:	N/A
Coating:	Needle punch
Material weight:	470 g/lm
Tariff No.:	58013600
Abrasion resistance (EN ISO 12947 1 & 2):	80000 cycles, Martindale
Pilling resistance (EN ISO 12945-2):	Class 4/5
Lightfastness (EN ISO B02):	Class 4/5

Filling and body:

Body:	Wood fiber board, pinewood, hardwood, hardboard
Seat suspension:	Nosag springs
Seat filling:	HR 3032 foam + SG25 foam covered with dacron cotton wool 150 g/m2
Back filling:	SG1818 foam
Legs:	Black plastic

Wash instruction:

Remove non-greasy stains by carefully dabbing with a lint-free cloth or sponge wrung out in clean warm water. If necessary, clean by dabbing with soapy water with a little dish soap. Finally, dab the surface with clean water. Avoid contact with sharp objects.

FABRIC SPECIFICATIONS


Corduroy rib / Cosy / Corduroy velvet / Sneak / Ted / Linen blend / Linen shadow / Royal velvet / Velvet / Boucle / Velvet juke

Vint couch

Corduroy rib

Fabric group:

A (Wave)



Colours:

Cream
Brown

Fabric covering

specifications:

Covering composition: 92% Polyester 8% Nylon
Bonding: Pes/Pa
Material weight: 300 g/lm
Tariff No.: 8501320000
Abrasion resistance
(EN ISO 12947 1 & 2): 40.000 cycles, Martindale
Pilling resistance
(EN ISO 12945-2): Class 4, 2000 Rubs
Lightfastness
(EN ISO B02): Class 4

Filling and body:

Body: Wood fiber board, pinewood, hardwood, hardboard
Seat suspension: Nosag springs
Seat filling: HR 3032 foam + SG25 foam covered with dacron cotton wool 150 g/m2
Back filling: SG1818 foam
Legs: Black plastic

Vint couch

Corduroy velvet

Fabric group:

B (Corduroy rib velvet)



Colours:

Aged gold

Fabric covering

specifications:

Covering composition: 100% Polyester
Bonding: T/C
Material weight: 580 g/lm
Tariff No.: 60053700
Abrasion resistance
(EN ISO 12947 1 & 2): 55.000 cycles, Martindale
Pilling resistance
(EN ISO 12945-2): Class 5, 2000 Rubs
Lightfastness
(EN ISO B02): Class 4/5

Filling and body:

Body: Wood fiber board, pinewood, hardwood, hardboard
Seat suspension: Nosag springs
Seat filling: HR 3032 foam + SG25 foam covered with dacron cotton wool 150 g/m2
Back filling: SG1818 foam
Legs: Black plastic

Wash instruction:

Remove non-greasy stains by carefully dabbing with a lint-free cloth or sponge wrung out in clean warm water. If necessary, clean by dabbing with soapy water with a little dish soap. Finally, dab the surface with clean water. Avoid contact with sharp objects.

Retro lounge fauteuil/ottoman

Product fact sheet (MZM4898, MZM4942)

General specifications

Dimensions:

Fauteuil: 82x84x76cm

Ottoman: 82x51x45cm

Fabric specifications

Colour:

- Cream

Fabric covering specifications:

- Composition front: 46% Acrylic, 54% Polyester

- Composition backing: 100% polyester

- Coating: Y (white backing)

- Material Weight: 630 g/m²

- Tariff No.: 55169200

- Abrasion Resistance

(ISO 12947-2:2016, Martindale Method, Force applied: 12kPa): →40.000

(ASTM D3885-07a (2015): Commercially Acceptable

(ASTM D3884-09 (R2017): Commercially Acceptable

- Color Fastness To Light

(ISO 105-D01:2010): Class 4-5

(AATCC 16.3-2014, Option 3, Xenon-Arc Lamp): Commercially Acceptable

Filling and body:

- Body: Pine, plywood, D30+S30 foam, Nylon webbing

- Seat suspension: D30+S30 foam, Dacron, Nylon webbing

- Seat filling: D30+S30 foam, Dacron

- Back filling: D30+S30 foam, Dacron

- Legs: Rubber wood



Wash instruction:

Remove non-greasy stains by carefully dabbing with a lint-free cloth or sponge wrung out in clean warm water. If necessary, clean by dabbing with soapy water with a little dish soap. Finally, dab the surface with clean water. Avoid contact with sharp objects.

Retro lounge fauteuil/ottoman

Product fact sheet (MZM5042, MZM5043)

General specifications

Dimensions:

Fauteuil: 82x84x76cm

Ottoman: 82x51x45cm

Fabric specifications

Colour:

- Brick

Fabric covering specifications:

- Composition front: 46% Acrylic, 54% Polyester

- Composition backing: 100% polyester

- Coating: Y (black backing)

- Material Weight: 630 g/m²

- Tariff No.: 55169200

- Abrasion Resistance

(ISO 12947-2:2016, Martindale Method, Force applied: 12kPa): →40.000

(ASTM D3885-07a (2015): Commercially Acceptable

(ASTM D3884-09 (R2017): Commercially Acceptable

- Color Fastness To Light

(ISO 105-D01:2010): Class 4-5

(AATCC 16.3-2014, Option 3, Xenon-Arc Lamp): Commercially Acceptable

Filling and body:

- Body: Pine, plywood, D30+S30 foam, Nylon webbing

- Seat suspension: D30+S30 foam, Dacron, Nylon webbing

- Seat filling: D30+S30 foam, Dacron

- Back filling: D30+S30 foam, Dacron

- Legs: Rubber wood



Wash instruction:

Remove non-greasy stains by carefully dabbing with a lint-free cloth or sponge wrung out in clean warm water. If necessary, clean by dabbing with soapy water with a little dish soap. Finally, dab the surface with clean water. Avoid contact with sharp objects.

Twister fauteuil

Product fact sheet

(MZM4899, MZM4900)



MZM4899

Colour:
Green



MZM4900

Colour:
Cream



**Overall size
(L/D*W*H):**
76x76x86cm

Seat height:
43cm

Fabric specifications

Fabric covering specifications:

- Covering composition: 100% Polyester
- Bonding: environmental standard
- Material Weight: 655 g/m²
- Tariff No.: HS CODE 9401619000
- Abrasion Resistance
(EN ISO 12947 1 & 2, Martindale): over 100,000 times
- Pilling resistance: (EN ISO 12945-2): rating 3.5
- Lightfastness: (EN ISO B02): sofa's for indoor

Filling and body:

- Body composition/material: iron + pine + plywood
- Seat suspension: iron
- Seat filling: sponge density pure 30, it is the better sponge than common
- Back filling: sponge density pure 30, it is the better sponge than common
- Legs: iron

Wash instruction:

Remove non-greasy stains by carefully dabbing with a lint-free cloth or sponge wrung out in clean warm water. If necessary, clean by dabbing with soapy water with a little dish soap. Finally, dab the surface with clean water. Avoid contact with sharp objects.

PRODUCT INFORMATION

DORIS for HK: lobby bench floral print (MZM4939)

General specifications

Dimensions:

140x40x45cm

Fabric specifications

Colour:

- Floral print

Fabric covering specifications:

- Covering composition: 100% Polyester
- Bonding: 1 side brush 100% Polyester
- Material Weight: 507 g/m²
- Tariff No.: 94018000
- Abrasion Resistance
(EN ISO 12947-2:2016; Martindale Wear & Abrasion Tester; 12kPa Pressure.):
Exceeds 40000 rubs
- Lightfastness: (EN ISO B02): Class 4

Filling and body:

- Body: Plywood, sponge, fabric, non-woven fabric, PVC
- Seat filling: Plywood, sponge, fabric
- Legs: Plywood, sponge, fabric, non-woven fabric, PVC foot pad

(Material composition: Plywood 89%, Fabric 7%, Sponge 4%)



Wash instruction:

Remove non-greasy stains by carefully dabbing with a lint-free cloth or sponge wrung out in clean warm water. If necessary, clean by dabbing with soapy water with a little dish soap. Finally, dab the surface with clean water. Avoid contact with sharp objects.

PRODUCT INFORMATION

lobby bench natural (180cm) (MZM4940)

General specifications

Dimensions:

180x40x45cm

Fabric specifications

Colour:

- Natural

Fabric covering specifications:

- Covering composition: 100% Polyester
- Bonding: 1 side brush 100% Polyester
- Material Weight: 420 g/m²
- Tariff No.: 94018000
- Abrasion Resistance
(EN ISO 12947-2:2016; Martindale Wear & Abrasion Tester; 12kPa Pressure.):
Exceeds 35000 rubs
- Lightfastness: (EN ISO B02): Class 4

Filling and body:

- Body: Plywood, sponge, fabric, non-woven fabric, PVC
- Seat filling: Plywood, sponge, fabric
- Legs: Plywood, sponge, fabric, non-woven fabric, PVC foot pad

(Material composition: Plywood 90%, Fabric 6%, Sponge 4%)



Wash instruction:

Remove non-greasy stains by carefully dabbing with a lint-free cloth or sponge wrung out in clean warm water. If necessary, clean by dabbing with soapy water with a little dish soap. Finally, dab the surface with clean water. Avoid contact with sharp objects.

PRODUCT INFORMATION

aluminium outdoor lounge sofa charcoal (MZM4987) - aluminium outdoor lounge sofa olive (MZM4989) - aluminium outdoor lounge sofa chai (MZM4990)
outdoor lounge sofa cushion set brown (MOU5007) - outdoor lounge sofa cushion set black (MOU5008)

General specifications

Dimensions lounge sofa:

220x84x63cm (seating height 25,5cm)

Material lounge sofa:

- Aluminium

Colours lounge sofa:

- Charcoal

- Olive

- Chai

Dimensions cushions:

seat cushion 90x89x17cm / back cushion 90x40x18cm

Fabric specifications cushions

Colour cushions:

- Black

- Brown

Fabric covering specifications:

- Covering composition: 100% Olefin

- Fabric Weight: 357 gr/m²

- Tariff No.: 94018000

- Abstraction Resistance (rubs): BS EN 14465, 20000 rubs

- Colour fastness to Artificial Weathering: BS EN ISO 105:B04 – 7-8

- Colour fastness to Rubbing: EN ISO 105-X12

- Colour fastness to Chlorinated Pool Water: BS EN ISO 105-E03 – max 5

- Colour fastness to Sea Water: BS EN ISO 105-E02 – max 5

- Soil Release: AATCC 130

- Dimensional Stability to washing: EN ISO 6330, ASTM G53-96

- Weatherability: American Standard (hours), 1500

- Pilling Resistance: EN ISO – 12945 – 2, class 4-5, max 5 after 2000 rubs

- Seam Slippage: prEN ISO 13936 – 2, class 5

- Tear Strength: EN ISO 13937-3

- Tensile Strength: EN ISO 13934-1

- Water Repellency: AATCC Test Method 22 – 2005 – max 100

- Flammability: BS EN 1021-1, 2006 – Cigarette

- Anti Mildew: AATC 147 : 2011 & 30 : 2004




Filling:

- The cushions are filled with foam in combination with a layer of Hollow fiber/Dacron.



Wash instruction cushion:

Cushion covers can be washed by hand only with a soft detergent and warm water. Do not tumble dry. Do not iron.



Cleaning instruction lounge sofa:

Wash with a soft cloth and a mixture of a mild detergent and warm water. Rinse with warm water, and wipe dry with a clean, soft cloth. Do not use abrasive, acid, alcohol-based, or solvent-based cleaners; they will damage the surface and cause the metal to erode. Wipe up immediately using a clean, soft cloth. Store furniture indoors during winter.